## The Kentucky Department for Public Health University of Kentucky College of Nursing Local Health Department Tobacco Cessation Survey, 2006

Pennyrile District Health Department

Report prepared through a contract between the Kentucky Cabinet for Health and Family Services and the University of Kentucky College of Nursing

For more information, contact:
Ellen Hahn, DNS, RN
Professor
University of Kentucky
College of Nursing
(859) 257-2358
ejhahn00@email.uky.edu

website: www.mc.uky.edu/tobaccopolicy/

	Pennyrile District Health Department			K umber	entucky* %	<b>N</b>	
1A. Are you or other health department staff involved in providing tobacco cessation programs?	Yes			56	100.0%	56	
What cessation programs do you provide?							
1) Cooper Clayton Method to Stop Smoking	Yes			54	96.4%	56	
How many programs were offered in the last fiscal year?	3	Total =	339	Mean =	6.3	SD =	6.6
How many individuals participated within the last fiscal year?	20	Total =	3804	Mean =	73.2	SD =	88.3
Within the last fiscal year, how many individuals quit using tobacco at to completion of the program?	he 2	Total =	1655	Mean =	32.5	SD =	46.7
2) Freedom From Smoking	No			2	3.6%	56	
How many programs were offered in the last fiscal year?		Total =	0	Mean =	0.0	SD =	0.0
How many individuals participated within the last fiscal year?		Total =	0	Mean =	0.0	SD =	0.0
Within the last fiscal year, how many individuals quit using tobacco at to completion of the program?	he	Total =	0	Mean =	0.0	SD=	0.0
3) Fresh Start	Yes			2	3.6%	55	
How many programs were offered in the last fiscal year?	2	Total =	7	Mean =	3.5	SD =	2.1
How many individuals participated within the last fiscal year?	10	Total =	10	Mean =	10.0	SD =	0.0
Within the last fiscal year, how many individuals quit using tobacco at to completion of the program?	he 5	Total =	5	Mean =	5.0	SD =	0.0
*number represents the number of counties / districts that answered "Yes" to the question;							

N represents the number of counties / districts that responded to the question

	Pennyrile District Health Departmen					<b>N</b>	
4) Make Yours a Fresh Start Family	Yes		••	44	80.0%	55	
How many individuals participated within the last fiscal year?		Total =	18273	Mean =	913.7	SD=	2204.5
Within the last fiscal year, how many individuals quit using tobacco at the completion of the program?	ne	Total =	260	Mean =	18.6	SD =	26.2
5) N.O.T. ON TOBACCO	No			5	8.9%	56	
How many programs were offered in the last fiscal year?		Total =	11	Mean =	3.7	SD=	2.9
How many individuals participated within the last fiscal year?		Total =	88	Mean =	44.0	SD=	25.5
Within the last fiscal year, how many individuals quit using tobacco at the completion of the program?	he	Total =	54	Mean =	27.0	SD =	29.7
6) Quit and Win	No			4	7.1%	56	
How many programs were offered in the last fiscal year?		Total =	22	Mean =	7.3	SD=	7.1
How many individuals participated within the last fiscal year?		Total =	115	Mean =	38.3	SD =	28.1
Within the last fiscal year, how many individuals quit using tobacco at the completion of the program?	he	Total =	38	Mean =	12.7	SD =	8.4
7) TEG / TAP	Yes			36	64.3%	56	
How many programs were offered in the last fiscal year?	2	Total =	130	Mean =	4.2	SD=	5.7
How many individuals participated within the last fiscal year?	15	Total =	996	Mean =	33.2	SD =	51.2
Within the last fiscal year, how many individuals quit using tobacco at the completion of the program?	he 2	Total =	115	Mean =	4.4	SD =	8.1

	Pennyrile District Health Department			K umber	entucky*	N	
1B. What is the job classification of health department staff providing cessation programs?							
1) Health Educator	Yes			45	80.4%	56	
2) Nurse	Yes			45	80.4%	56	
3) Social Worker	No			8	14.3%	56	
4) Physician	No			4	7.1%	56	
5) Other	No			28	50.0%	56	
2. On average, how many requests for tobacco cessation does your health department receive per month?	5	Total =	856	Mean =	15.6	SD =	23.1
3. If Cooper-Clayton programs have been provided in your service area, how many people in your area are trained to provide Cooper-Clayton?	5	Total =	463	Mean =	8.6	SD =	14.9
4. How do you promote the tobacco cessation programs in your area?							
1) Word of mouth	Yes			55	98.2%	56	
2) Flyers / Brochures	Yes			55	98.2%	56	
3) Newspaper	Yes			50	89.3%	56	
4) Radio	Yes			38	67.9%	56	
5) Television	No			18	32.1%	56	
6) Church or Community Bulletins	Yes			36	64.3%	56	
7) Billboards	No			8	21.0%	38	
8) Website	No			8	21.0%	38	

	Pennyrile District			Kentucky*	
	Health Departm	nent	number	%	N
9) No promotions	No		3	5.4%	56
10) Other	Yes		38	70.4%	54
5. Approximately how much money have you spent in the past year promoting your cessation programs through the radio, newspaper, or television?	\$50.00	Total = \$61,138.	00   Mean =	\$1,132.19   <i>SD</i>	9= \$1,996.64
6. Within the past year has your health department provided education programs on tobacco cessation for health care providers?	No		18	32.1%	56
A) If yes, how many programs were provided?		Total = 3	6 Mean =	2.1   SD	)= 1.7
7. Does your health department have a tobacco user identification system	Yes		49	87.5%	56
A) If yes, is the tobacco user identification system used for every patient at every clinic visit?	Yes		46	93.9%	49
8. Does your health department provide individual counseling for tobacco users who want to quit?	Yes		48	85.7%	56
9. Are all indoor areas, including offices at your health department smoke free?	Yes		56	100.0%	56
10. Are your health care providers aware that Medicaid reimburses smoking cessation counseling and support programs for pregnant women?	Yes		37	71.1%	52
A) If yes, are you using diagnosis and CPT codes to bill Medicaid for smoking cessation?	No		18	62.1%	29

2/16/2007 5

		Pennyrile District		Kentucky*	
		Health Department	t number	%	N
	Does your clinic have self-help materials for tobacco use cessation vailable in every exam room?	Yes	50	89.3%	56
1	2. Are materials on secondhand smoke available in every exam room?	Yes	43	76.8%	56
	3. Do your health care providers routinely ask patients about secondhand moke exposure in the home?	Yes	50	89.3%	56
	4. Do your health care providers routinely advise patients to ban smoking in ne home?	Yes	45	80.4%	56
	5. Do your health care providers routinely advise patients to ban smoking in ne cars?	Yes	34	63.0%	54
	6. Do your health care providers routinely provide brief cessation interventions sing the 5 A's?	Yes	44	78.6%	56
С	7. Do your providers routinely refer tobacco users who want to quit to a ounselor or program available in the community for tobacco use cessation eatment?	Yes	56	100.0%	56
	A) To what person or program do they refer?				
	A1) Kentucky's Tobacco Quit Line	Yes	47	83.9%	56
	A2) Cooper Clayton Group Program	Yes	53	94.6%	56
	A3) Cooper Clayton Self-Help Program	Yes	21	37.5%	56
	A4)Tobacco Control Coordinator	Yes	52	92.9%	56

	Pennyrile District		Kentucky*	
	Health Department	number	%	N
A5) Health Educator	Yes	44	78.6%	56
A6) Community Health Nurse	Yes	31	56.4%	55
A7) Nutritionist	Yes	26	46.4%	56
A8) Health Care Provider / Hospital	Yes	11	19.6%	56
A9) Other	No	7	12.5%	56
18. Do your health care providers routinely discuss relapse with former smokers within 12 months after quitting?	Yes	30	53.6%	56
19. Does your employee health plan at your health department reimburse for tobacco use cessation treatment?	No	47	87.0%	54
A) If yes, does the plan cover:				
A1) Nicotine Replacement Therapy (NRT)?		45	95.7%	47
A2) Other medications?		13	27.7%	47
A3) Classes or counseling for cessation?		14	29.8%	47

## Pennyrile District Health Department

Kentucky\*

How frequently do your health care providers prescribe or recommend the following medications for tobacco use cessation?

providers prescribe or recommend the												
following medications for tobacco use cessation?		1 = N	lever	2	2	3		4		5 = Ver	y often	
		n	%	n	%	n	%	n	%	n	%	N
20. Nicotine Gum	3	16	28.6	13	23.2	18	32.1	0	0.0	9	16.1	56
21. Nicotine Patch	5	12	21.4	2	3.6	13	23.2	1	1.8	28	50.0	56
22. Nicotine Nasal Spray	4	39	69.6	11	19.6	5	8.9	1	1.8	0	0.0	56
23. Nicotine Inhaler	4	38	67.9	9	16.1	7	12.5	1	1.8	1	1.8	56
24. Nicotine Lozenges	3	21	37.5	7	12.5	17	30.4	2	3.6	9	16.1	56
<ul><li>25. Buproprion (Wellbutrin, Zyban)</li><li>26. Clonidine</li></ul>	5 1	28 47	50.0 83.9	10 5	17.9 8.9	8	14.3 7.1	3	5.4 0.0	0	0.0	56 56
27. Nortriptyline	1	49	87.5	3	5.4	4	7.1	0	0.0	0	0.0	56
28. Other Medications	2	50	90.9	3	5.5	1	1.8	0	0.0	1	1.8	55
		1										