The Kentucky Department for Public Health University of Kentucky College of Nursing Local Health Department Tobacco Cessation Survey, 2007

## Pennyrile District Health Department

Report prepared through a contract between the Kentucky Cabinet for Health and Family Services and the University of Kentucky College of Nursing

> For more information, contact: Ellen Hahn, DNS, RN Professor University of Kentucky College of Nursing (859) 257-2358 <u>ejhahn00@email.uky.edu</u> website: www.mc.uky.edu/tobaccopolicy/

12/12/2007

				Pennyrile			number	Kentucky* %	N	
1A.	Are yo progra		her health department staff involved in providing tobacco cessation	Yes			56	100.0%	56	
	What o	cessati	on programs do you provide?							
	1A1.	Соор	per-Clayton Method to Stop Smoking	Yes			54	96.4%	56	
		a.	How many programs were offered in the last year?	5	Total =	316	Mean =	6.1	SD =	7.1
		b.	How many individuals participated in the last fiscal year?	30	Total =	4067	Mean =	79.7	SD =	150.7
		C.	Within the last fiscal year, how many individuals quit using tobacco at the completion of the program?	15	Total =	1816	Mean =	35.6	SD =	82.4
	1A2.	Free	dom From Smoking	No			2	3.6%	56	
		a.	How many programs were offered in the last year?		Total =	4	Mean =	2.0	SD =	2.8
		b.	How many individuals participated in the last fiscal year?		Total =	0	Mean =	0.0	SD =	0.0
		C.	Within the last fiscal year, how many individuals quit using tobacco at the completion of the program?		Total =	0	Mean =	0.0	SD =	0.0
	1A3.	Fres	h Start	No			5	8.9%	56	
		a.	How many programs were offered in the last year?		Total =	9	Mean =	2.3	SD =	1.9
		b.	How many individuals participated in the last fiscal year?		Total =	80	Mean =	26.7	SD =	20.8
		C.	Within the last fiscal year, how many individuals quit using tobacco at the completion of the program?		Total =	35	Mean =	17.5	SD =	17.7

			Pennyrile			K number	entucky* %	N	
1A4.	Make	e Yours a Fresh Start Family	Yes			45	80.4%	56	
	a.	How many individuals participated in the last fiscal year?		Total =	3005	Mean =	187.8	SD =	381.3
	b.	Within the last fiscal year, how many individuals quit using tobacco at the completion of the program?		Total =	33	Mean =	8.3	SD =	4.8
1A5.	Not c	on Tobacco (N.O.T.)	No			8	14.3%	56	
	a.	How many programs were offered in the last year?		Total =	107	Mean =	13.4	SD =	35.0
	b.	How many individuals participated in the last fiscal year?		Total =	1527	Mean =	254.5	SD =	610.3
	C.	Within the last fiscal year, how many individuals quit using tobacco at the completion of the program?		Total =	7	Mean =	1.4	SD =	3.1
1A6.	Quit	and Win	No			5	8.9%	56	
	a.	How many programs were offered in the last year?		Total =	8	Mean =	1.6	SD =	0.9
	b.	How many individuals participated in the last fiscal year?		Total =	222	Mean =	44.4	SD =	40.3
	C.	Within the last fiscal year, how many individuals quit using tobacco at the completion of the program?		Total =	12	Mean =	6	SD =	7.1
1A7.	TEG	ЛАР	Yes			36	64.3%	56	
	a.	How many programs were offered in the last year?	2	Total =	162	Mean =	4.8	SD =	8.4
	b.	How many individuals participated in the last fiscal year?	10	Total =	1149	Mean =	35.9	SD =	58.6
	C.	Within the last fiscal year, how many individuals quit using tobacco at the completion of the program?	2	Total =	242	Mean =	9.3	SD =	21.2

			Pennyrile			ł number	Kentucky* %	N	
	Pro	ner Programs (Ascent, Free and Clear, Toborg, Baby Shower Igrams, 1-1 Counseling Program, modified tobacco in-school Ispension program, independent classes)	No			14	25.5%	55	
	a.	How many programs were offered in the last year?		Total =	225	Mean =	16.1	SD =	40.2
	b.	How many individuals participated in the last fiscal year?		Total =	1747	Mean =	124.8	SD =	312.8
	C.	Within the last fiscal year, how many individuals quit using tobacco at the completion of the program?		Total =	105	Mean =	10.5	SD =	16.0
1B.	What is the programs?	job classification of health department staff providing cessation							
	1B	1. Health Educator	Yes			47	83.9%	56	
	1B	2. Nurse	No			38	67.9%	56	
	1B	3. Social Worker	No			7	12.5%	56	
	1B	4. Physician	No			1	1.8%	56	
	1B	5. Program Coordinator/Specialist/Director	No			7	12.5%	56	
	1B	5. Dietician/Nutritionist	No			8	14.3%	56	
	1B	7. Other	No			10	17.9%	56	
2.		e, how many requests for tobacco cessation does your health receive per month?	10	Total =	749	Mean =	13.6	SD =	17.5
3.		layton programs have been provided in your service area, how many our area are trained to provide Cooper-Clayton?	2	Total =	439	Mean =	8.3	SD =	15.3

			Pennyrile			l number	Kentucky* %	N	
4.	How d	lo you promote tobacco cessation programs in your area?				number	70	N	
	4a.	Word of Mouth	Yes			55	98.2%	56	
	4b.	Flyers/Brochures	Yes			52	92.9%	56	
	4c.	Newspaper	Yes			52	92.9%	56	
	4d.	Radio	No			38	67.9%	56	
	4e.	Television	No			21	37.5%	56	
	4f.	Church or Community Bulletins	No			31	55.4%	56	
	4g.	Health Fairs/Career Fairs	No			6	10.7%	56	
	4h.	Website	No			5	8.9%	56	
	4i.	Billboards/Signs	No			9	16.1%	56	
	4j.	No promotions	No			1	1.8%	56	
	4k.	Other promotions	Yes			22	39.3%	56	
5.		ximately how much money have you spent in the past year promoting your tion programs through the radio, newspaper and/or television?	\$0.00	Total =	\$87,818.00	Mean =	\$1,596.70	SD =	\$3,432.80
6.		the past year, how have you promoted the Kentucky Quit Line (1-800- NOW)?							
	6a.	Distributed brochures/fliers	Yes			53	94.6%	56	
	6b.	Distributed Quit Line prescription pads	Yes			50	89.3%	56	
	6c.	Paid advertising	No			15	26.8%	56	
	6d.	Earned (unpaid) media	Yes			39	69.6%	56	
	6e.	Cooper-Clayton or other program	Yes			53	94.6%	56	
	6f.	Hospitals/Clinic	Yes			47	83.9%	56	
	6g.	Health Fairs	No			11	19.6%	56	
	6h.	Other	Yes			23	41.1%	56	
*num	har ranrasa	inter the number of counties/districts that answered "Vec" to the question	I						

		Pennyrile		number	Kentucky* %	N
7.	Within the past year, has your health department provided education programs on tobacco cessation for health care providers?	Yes		21	38.2%	55
	7a. If yes, how many programs were provided	2	Total = 49	Mean =	2.3	SD =
8.	Does your health department have a tobacco user identification system?	Yes		49	89.1%	55
	8a. If yes, is the tobacco user identification system used for every patient at every clinic visit?	Yes		49	100.0%	49
9.	Does your health department provide individual counseling for tobacco users who want to quit?	Yes		47	87.0%	54
	9a. If yes, is the counseling typically:					
	Brief intervention (3-5 minutes)	Yes		37	77.1%	48
	Intermediate (6-10 minutes)	No		14	29.8%	47
	Intensive (>10 minutes)	No		9	19.1%	47
10.	Are all indoor areas, including offices at your health department, smoke free?	Yes		55	100.0%	55
11.	Are your health care providers aware that Medicaid reimburses for smoking cessation counseling and support programs for pregnant women?	Yes		48	96.0%	50
	11a. If yes, are you using diagnosis and CPT codes to bill Medicaid for smoking cessation?	Yes		25	64.1%	39
12.	Does your clinic have self-help materials for tobacco use cessation available in every exam room?	Yes		47	85.5%	55
13.	Are materials on secondhand smoke available in every exam room?	Yes		42	76.4%	55
14.	Do your health care providers routinely advise patients to ban smoking in the home?	Yes		55	100.0%	55
15.	Do your health care providers routinely advise patients to ban smoking in their cars?	Yes		46	83.6%	55
*num	or represents the number of equation/districts that answered "Vee" to the question	•				

		Pennyrile	number	Kentucky* %	N
16.	Do your health care providers routine provide brief cessation interventions using the 5 A's?	Yes	41	74.5%	55
17.	Do your providers routinely refer tobacco users who want to quit to a counselor or program available?	Yes	55	100.0%	55
	17a. To what person or program do they refer?				
	17a1. Kentucky's Tobacco Quit Line	Yes	54	98.2%	55
	17a2. Cooper-Clayton Group Program	Yes	55	100.0%	55
	17a3. Cooper-Clayton Self-Help Program	Yes	14	25.5%	55
	17a4. Tobacco Control Center	No	3	5.5%	55
	17a5. Health Educator	Yes	52	94.5%	55
	17a6. Community Health Nurse	Yes	31	56.4%	55
	17a7. Nutritionist	Yes	20	36.4%	55
	17a8. Health Care Provider/Hospital	No	8	14.5%	55
	17a9. Other	No	6	10.9%	55
18.	Do your health care providers routinely discuss relapse with former smokers within 12 months after quitting?	Yes	33	60.0%	55
19.	Does your employee health plan at your health department reimburse for tobacco use cessation treatment?	No	42	76.4%	55
	19a. If yes, does the plan cover:				
	19a1. Nicotine Replacement Therapy (NRT)		40	97.6%	41
	19a2. Other medications		30	71.4%	42
	19a3. Classes or counseling for cessation		24	58.5%	41

## Pennyrile

## Kentucky\*

How frequently do your health care providers prescribe or recommend the following medications for tobacco use cessation?

20.

21.

22.

23.

24.

25.

26.

27.

allon?										1		-
		1 = 1	Never		2	3	3	4	4	5 = Ver	y often	
		n	%	n	%	n	%	n	%	n	%	N
Nicotine Gum	3	14	25.5	8	14.5	24	43.6	7	12.7	2	3.6	55
Nicotine Patch	5	8	14.5	3	5.5	3	5.5	14	25.5	27	49.1	55
Nicotine Nasal Spray	3	30	54.5	18	32.7	6	10.9	0	0.0	1	1.8	55
Nicotine Inhaler	3	30	54.5	16	29.1	6	10.9	1	1.8	2	3.6	55
Nicotine Lozenges	4	14	25.5	14	25.5	20	36.4	5	9.1	2	3.6	55
Buproprion (Wellbutrin, Zyban)	3	15	27.3	12	21.8	17	30.9	6	10.9	5	9.1	55
Varenicline (Chantix)	5	13	23.6	8	14.5	10	18.2	9	16.4	15	27.3	55
Other Medications	1	55	100.0	0	0.0	0	0.0	0	0.0	0	0.0	55

\*number represents the number of counties/districts that answered "Yes" to the question

N represents the number of counties/districts that responded to the question