

**Leading Causes of Secondhand Smoke Related Deaths in Kentucky by County and State, 2014-2016**

<b>Location</b>	<b>Heart Disease</b>	<b>Malignant Neoplasms (Cancer)</b>	<b>Stroke</b>	<b>Chronic Lower Respiratory</b>	<b>Unintentional Injuries</b>
<b>Kentucky</b>	<b>200.4</b>	<b>196.2</b>	<b>41.0</b>	<b>64.8</b>	<b>65.1</b>
Adair	281.4	154.8	31.8	54.0	74.7
Allen	218.6	202.2	64.8	68.2	54.3
Anderson	199.0	206.6	32.5	71.6	52.4
Ballard	176.0	199.3	*	65.1	84.2
Barren	214.7	197.3	50.5	73.0	50.9
Bath	228.8	221.7	70.0	66.4	95.9
Bell	310.1	243.7	46.4	82.8	63.4
Boone	160.2	173.1	35.8	47.8	49.2
Bourbon	187.8	183.2	43.5	49.9	70.4
Boyd	237.7	190.2	43.7	65.8	69.9
Boyle	162.6	180.1	32.6	47.8	59.2
Bracken	268.8	222.2	*	74.7	109.5
Breathitt	392.9	284.9	46.9	113.1	125.1
Breckinridge	217.2	204.2	34.6	70.5	70.1
Bullitt	163.3	180.6	26.3	58.9	51.7
Butler	210.5	183.8	*	57.2	101.6
Caldwell	243.2	181.3	65.7	46.5	78.9
Calloway	235.3	170.9	45.7	60.3	45.2
Campbell	167.2	198.0	33.9	49.4	86.7
Carlisle	229.7	184.0	-	-	-
Carroll	199.3	270.2	*	114.0	90.9
Carter	222.8	206.4	41.5	77.1	71.0
Casey	182.5	202.4	40.1	92.9	73.0
Christian	181.2	182.0	41.9	85.3	37.7
Clark	211.9	213.6	47.3	61.9	68.3
Clay	272.5	248.3	47.3	92.3	73.7
Clinton	308.7	228.9	*	103.5	84.0
Crittenden	282.3	197.4	*	54.4	-

**Leading Causes of Secondhand Smoke Related Deaths in Kentucky by County and State, 2014-2016**

<b>Location</b>	<b>Heart Disease</b>	<b>Malignant Neoplasms (Cancer)</b>	<b>Stroke</b>	<b>Chronic Lower Respiratory</b>	<b>Unintentional Injuries</b>
<b>Kentucky</b>	<b>200.4</b>	<b>196.2</b>	<b>41.0</b>	<b>64.8</b>	<b>65.1</b>
Cumberland	280.5	244.9	*	-	96.2
Daviess	179.3	180.9	39.2	55.3	46.4
Edmonson	193.8	191.3	*	79.0	73.4
Elliott	157.9	187.3	-	89.8	-
Estill	267.6	256.2	47.7	63.8	96.6
Fayette	144.9	167.2	35.5	47.0	60.9
Fleming	258.4	227.9	83.4	86.7	68.3
Floyd	280.8	228.2	42.2	127.1	94.7
Franklin	177.9	181.2	39.8	62.4	55.3
Fulton	233.3	190.2	*	-	-
Gallatin	352.5	270.1	-	88.9	104.8
Garrard	165.5	188.4	*	55.1	64.5
Grant	254.7	237.7	54.9	84.6	81.8
Graves	210.1	187.7	41.6	81.8	57.7
Grayson	215.1	219.0	59.4	61.8	83.2
Green	256.2	174.2	55.5	61.4	72.1
Greenup	214.1	203.2	39.6	67.8	63.4
Hancock	165.4	182.1	*	-	-
Hardin	167.3	199.2	36.1	58.9	43.1
Harlan	265.8	252.8	65.6	97.5	84.5
Harrison	241.2	217.1	44.7	50.8	119.4
Hart	235.0	232.2	49.4	93.3	76.2
Henderson	179.5	191.7	48.5	69.4	45.2
Henry	170.5	200.6	39.4	85.3	61.2
Hickman	199.9	175.0	-	-	-
Hopkins	288.3	210.7	48.2	64.7	68.8
Jackson	310.7	217.5	*	64.3	-
Jefferson	168.5	182.8	34.3	50.3	60.4

**Leading Causes of Secondhand Smoke Related Deaths in Kentucky by County and State, 2014-2016**

<b>Location</b>	<b>Heart Disease</b>	<b>Malignant Neoplasms (Cancer)</b>	<b>Stroke</b>	<b>Chronic Lower Respiratory</b>	<b>Unintentional Injuries</b>
<b>Kentucky</b>	<b>200.4</b>	<b>196.2</b>	<b>41.0</b>	<b>64.8</b>	<b>65.1</b>
Jessamine	149.3	177.8	36.5	60.4	70.8
Johnson	266.4	221.7	36.3	98.0	69.0
Kenton	180.5	189.4	33.7	63.8	77.4
Knott	269.8	219.8	52.2	99.4	95.9
Knox	227.4	229.1	43.7	95.3	72.3
Larue	191.1	193.7	40.1	58.4	58.4
Laurel	215.6	216.7	36.9	68.1	60.8
Lawrence	268.9	254.5	43.6	90.4	72.2
Lee	369.2	257.7	*	128.3	146.0
Leslie	289.7	266.6	61.0	71.6	141.3
Letcher	271.4	207.8	44.4	85.9	94.4
Lewis	205.9	219.7	49.9	108.5	74.9
Lincoln	216.0	225.3	30.9	82.0	83.3
Livingston	262.9	211.4	55.5	84.8	77.7
Logan	186.0	221.8	39.0	72.5	61.6
Lyon	260.5	185.4	*	-	-
McCracken	198.6	178.5	41.9	76.2	60.5
McCreary	252.1	216.4	46.7	98.1	73.5
McLean	209.6	229.7	*	66.3	-
Madison	184.9	190.7	33.1	61.9	62.8
Magoffin	223.2	206.8	*	170.5	68.6
Marion	166.8	220.7	49.7	48.1	66.8
Marshall	254.5	196.1	51.1	68.3	66.2
Martin	201.4	220.8	*	91.5	87.1
Mason	275.9	223.1	74.0	52.7	94.9
Meade	187.4	196.2	45.2	72.8	65.8
Menifee	287.1	260.4	-	-	-
Mercer	202.9	199.0	43.5	87.8	82.7

**Leading Causes of Secondhand Smoke Related Deaths in Kentucky by County and State, 2014-2016**

<b>Location</b>	<b>Heart Disease</b>	<b>Malignant Neoplasms (Cancer)</b>	<b>Stroke</b>	<b>Chronic Lower Respiratory</b>	<b>Unintentional Injuries</b>
<b>Kentucky</b>	<b>200.4</b>	<b>196.2</b>	<b>41.0</b>	<b>64.8</b>	<b>65.1</b>
Metcalfe	208.9	228.3	66.4	88.4	83.2
Monroe	358.6	218.5	75.4	60.8	-
Montgomery	243.5	193.3	36.7	67.5	69.8
Morgan	218.6	261.4	*	90.5	-
Muhlenberg	239.7	208.9	40.1	48.2	67.1
Nelson	172.8	164.0	40.5	69.7	58.4
Nicholas	254.5	274.7	*	81.9	111.7
Ohio	215.0	219.0	49.5	70.6	58.8
Oldham	154.9	156.4	36.8	53.2	37.5
Owen	247.3	157.9	*	58.4	92.5
Owsley	321.6	282.8	-	-	-
Pendleton	226.9	191.6	*	72.2	72.6
Perry	350.7	250.9	45.3	131.4	98.6
Pike	258.0	224.5	38.2	84.5	92.3
Powell	271.7	218.4	81.4	81.8	140.0
Pulaski	247.7	215.6	45.2	74.7	69.9
Robertson	280.5	270.8	-	-	-
Rockcastle	199.4	215.9	37.3	78.2	68.2
Rowan	194.2	229.2	66.5	75.4	75.5
Russell	211.0	209.1	55.4	102.1	110.5
Scott	216.1	176.6	45.1	39.7	62.7
Shelby	168.0	194.6	52.7	54.9	55.4
Simpson	268.4	229.6	64.2	53.8	43.4
Spencer	220.1	173.8	*	68.8	54.4
Taylor	195.7	211.6	52.5	66.5	59.1
Todd	194.6	205.2	*	83.2	82.9
Trigg	151.6	178.9	45.3	74.4	72.8
Trimble	269.7	188.7	*	77.3	-

## Leading Causes of Secondhand Smoke Related Deaths in Kentucky by County and State, 2014-2016

Location	Heart Disease	Malignant Neoplasms (Cancer)	Stroke	Chronic Lower Respiratory	Unintentional Injuries
<b>Kentucky</b>	<b>200.4</b>	<b>196.2</b>	<b>41.0</b>	<b>64.8</b>	<b>65.1</b>
Union	175.7	251.7	43.8	89.2	82.7
Warren	178.6	178.4	46.6	41.9	42.9
Washington	171.1	204.2	45.5	44.7	69.1
Wayne	209.8	212.4	48.9	62.2	82.9
Webster	226.4	189.3	66.0	74.6	74.1
Whitley	311.9	278.3	49.0	99.6	101.8
Wolfe	395.8	281.7	*	116.8	97.2
Woodford	169.3	155.2	44.5	47.2	57.1

Centers for Disease Control and Prevention, National Center for Health Statistics. Underlying Cause of Death 1999-2017 on CDC WONDER Online Database, released December, 2018. Data are from the Multiple Cause of Death Files, 1999-2017, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Accessed at <http://wonder.cdc.gov/ucd-icd10.html> on Jun 5, 2019 12:53:21 PM

\*Data not reliable because sample size is too small.

-Data are suppressed for confidentiality when there are fewer than 9 deaths.